

SEAFOAM



VOXFLOR®
passion and purpose


00.

OUR GOAL

With its freshness and vitality, Seafoam evokes a sense of hope from the ocean's surface.

Embracing the concept of renewal and transformation can infuse our lives with optimism, hope, and a deep appreciation for the beauty of change. It reminds us that no matter how daunting the journey may seem, the potential for growth, renewal, and transformation is always waiting to be discovered beneath the surface, ready to bring us new opportunities.

VOXFLO®
MILANO CREATIVE STUDIO



Seafoam 417

01.

SEAFOAM

The pattern is seamlessly generated every time, covering every part of the space with a constantly changing and evolving look. Delicate color accents gently blend with the base, creating a new and unique appearance.

ORGANIC DESIGN

UNPREDICTABLE VARIATIONS


Seafoam comprises eight neutrals that can be combined into six delicate accent colors to respect the space's neutrality. It brings a touch of innovation from the gentle organic dynamics inspired by the unpredictable design generated by the waters whipped by the wind.




Seafoam 400, 417, 418



Seafoam 422, 425



Seafoam 420






Seafoam 400




Seafoam 100



Seafoam 417





Seafoam 300, 600

Colors



Seafoam 100



Seafoam 200



Seafoam 300



Seafoam 400



Seafoam 417



Seafoam 418




Seafoam 420



Seafoam 422



Seafoam 423




Seafoam 425



Seafoam 500



Seafoam 600




Seafoam 700




Seafoam 800

Installation Methods



Brick



Monolithic

Specifications

| | |
|----------------------|--|
| Style Name: | Seafoam |
| Construction: | Multi-Level loop |
| Fiber: | PUREWEAVE™ Nylon |
| Gauge: | 1/12" |
| Stitches: | 13 per inch |
| Pile Weight: | 20 OZ/yd² |
| Average Pile Height: | 4.0 ± 0.5mm |
| Backing: | EcoAce-Bac® |
| Tile size: | 50cm*50cm |
| Area of Use: | Commercial – Heavy Duty |
| Anti-microbial: | Ultra Fresh Treatment (Available) |
| Flammability: | ASTM E648 Class I, GB8624-2012 B1(C) |
| Smoke Density: | ASTM E662≤450 |
| Static Propensity: | AATCC-134≤3.5 KV, GB/T 18044-2008≤3.5 KV |



Seafoam 100

Manufacture System

SOLAR made carpet

VOXFLOOR® constructs its solar power generation system, utilizing clean energy for sustainable production.



An Environmental Product Declaration (EPD) tells the life cycle story of a product in a single, comprehensive report. The EPD provides information about a product's impact upon the environment, such as global warming potential, smog creation, ozone depletion and water pollution.



Administered by the Singapore Environment Council (SEC) since 1999, It is Singapore's leading environmental standard and certification mark with over 3800 unique products certified across 43 countries.

Credits Contribution to:



LEED (Leadership in Energy and Environmental Design) is the most widely used green building rating system in the world. LEED certification is a globally recognized symbol of sustainability achievement and leadership.



VOXFLOOR® tracks and reduces greenhouse gas emissions (ISO 14064), minimizes the carbon footprint of carpet tiles (ISO 14067), and achieves carbon neutrality through renewable energy and offsetting (ISO 14068-1).



ISO9001, ISO14001, ISO45001 certified, VOXFLOOR® ensures reliable, high-quality manufacturing.



Eco-Ace-Bac® Collection
GLP No. : 100231

Green Label Plus is an independent testing program that identifies carpet, adhesives, and cushion with very low emissions of VOCs to help improve indoor air quality.



CE marking indicates that a product has been assessed by the manufacturer and deemed to meet EU safety, health and environmental protection requirements.



Ultra-Fresh® is a portfolio of antimicrobial treatments developed by Thomson Research Associates, Inc. Customer can choose this High-Performance Antimicrobial Technology.



WELL is the leading tool for advancing health and well-being in buildings globally. Register your office, building or other space to leverage WELL's flexible framework for improving health and human experience through design.

Declare.

Red List Free

Declare is a transparency platform to share and find healthy building products. VOXFLOOR's EcoAce-Bac® Collection reach "Red List Free" grade.

PUREWEAVE™

VOXFLOOR® offers PureWeave Nylon, a solution-dyed nylon fiber with built-in enhanced stain resistance ability against acid-based stains, which account for over 90% of the stains in daily life, such as tea, coffee, juice, etc. This feature gives carpet tiles long-lasting and effective anti-stain properties with lower maintenance costs, and longer product lifespan.



Cradle to Cradle® Certified is the global standard for products that are safe, circular and responsibly made. It is to ensure the impact of their products on people and planet is a positive one.

WHERE CHAOS MEETS BEAUTY EVERY WAVE BRINGS A NEW BEGINNING



VOXFLOR®

www.voxflor.com

Shanghai **Headquarters**

T +86 21 62989325

Milano **Creative Studio**

T +39 3885863150

China **Branch Offices**

Beijing/ Guangzhou/ Shenzhen/ Xiamen

